

Clinical Endocrinology

Edited by

J. A. H. Wass and

P. H. Bayliss

Editorial Assistant

W. F. Kelly

Volume 39

1993

BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD LONDON EDINBURGH BOSTON

MELBOURNE PARIS BERLIN VIENNA

© 1993 Blackwell Scientific Publications Ltd. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Scientific Publications Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$10.00 per copy is paid directly to the CCC, 27 Congress Street, Salem, MA 01970, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. 0300-0664/93/\$10.00.

Blackwell Scientific Publications
Oxford London Edinburgh Boston
Melbourne Paris Berlin Vienna

ISSN 0300-0664

Contents

Volume 39, Number 1, July 1993

- 1 **Review** The impact of obesity on hyperandrogenism and polycystic ovary syndrome in premenopausal women: R. PASQUALI and F. CASIMIRRI
- 17 **Commentary** Glucokinase and non-insulin-dependent diabetes: S. O'RAHILLY
- 21 Proinsulin, proinsulin intermediate and insulin in cystic fibrosis: I. HAMDI, M. GREEN, J. M. SHNEERSON, C. R. PALMER and C. N. HALES
- 27 Elevated serum immunoreactive inhibin levels in peripubertal boys with chronic renal failure: R. MITCHELL, F. SCHAEFER, I. D. MORRIS, K. SCHÄRER, J. G. SUN, W. R. ROBERTSON and THE COOPERATIVE STUDY GROUP ON PUBERTAL DEVELOPMENT IN CHRONIC RENAL FAILURE (CSPCRF)
- 35 Premature ovarian failure: autoimmunity and natural history: C. BETTERLE, A. ROSSI, S. DALLA PIA, A. ARTIFONI, B. PEDINI, S. GAVASSO and A. CARETTO
- 45 Effect of varying concentrations of follicle stimulating hormone on the production of gonadotrophin surge attenuating factor (GnSAF) in women: I. E. MESSINIS, D. LOLIS, I. PAPADOPOULOS, TH. TSAHALINA, N. PAPANIKOLAOU, K. SEFERIADIS and A. A. TEMPLETON
- 51 Peptide α -amidation activity in human plasma: relationship to gastrin processing: M. KAPUSCINSKI, M. GREEN, S. N. SINHA, J. J. SHEPHERD and A. SHULKES
- 59 Calcitonin gene-related peptide in small cell lung carcinomas: S. SCHIFTER, L. JOHANNSEN, C. BUNKER, P. BRICKELL, E. BORK, H. LINDBERG and J. FABER
- 67 Prevalence of subclinical hyperthyroidism and relationship between thyroid hormonal status and thyroid ultrasonographic parameters in patients with non-toxic nodular goitre: M. RIEU, S. BEKKA, B. SAMBOR, J.-L. BERROD and J.-P. FOMBEUR
- 73 Relation between phenotype and intra-cellular thyroid hormone effect in patients with altered peripheral thyroid hormone sensitivity: J. KVETNY and J. BOLLERSLEV
- 77 Effect of growth hormone administration frequency on 24-hour growth hormone profiles and levels of other growth related parameters in girls with Turner's syndrome: A. VAN TEUNENBROEK, S. M. P. F. DE MUINCK KEIZER-SCHRAMA, T. STIJNEN, J. W. MOUTON, W. F. BLUM, M. MERCADO, G. BAUMANN, S. L. S. DROP and THE DUTCH WORKING GROUP ON GROWTH HORMONE
- 85 Effects of growth hormone therapy on the developmental changes of follicle stimulating hormone and insulin-like growth factor-I serum concentrations in Turner's syndrome: J.-P. BOURGUIGNON, A. GÉRARD, G. DEBY-DUPONT and P. FRANCHIMONT
- 91 Longitudinal evaluation of adrenocorticotrophin and β -lipotrophin plasma levels following bilateral adrenalectomy in patients with Cushing's disease: A. C. MOREIRA, M. CASTRO and H. R. MACHADO
- 97 An audit of dynamic function tests: errors in the timing of blood specimens: J. H. BARTH, M. D. PAGE and I. R. BAILEY
- 101 Interindividual differences in the pituitary-thyroid axis influence the interpretation of thyroid function tests: C. A. MEIER, M. N. MAISEY, A. LOWRY, J. MÜLLER and M. A. SMITH
- 109 **Case report** Serious, prolonged hypoglycaemia with glibenclamide in a patient with Mendenhall's syndrome: S. KUMAR and A. J. M. BOULTON
- 113 **Case report** Severe peripheral neuropathy and elevated plantar pressures causing foot ulceration in pituitary gigantism: A. M. JENNINGS, A. ROBINSON, R. H. KANDLER, R. P. BETTS, R. E. J. REYDER and D. R. CULLEN
- 119 **Rapid communication** The effect of recombinant human insulin-like growth factor-I treatment on growth hormone secretion in two subjects with growth hormone insensitivity (Laron syndrome): A. M. COTTERILL, C. CAMACHO-HÜBNER, J. M. P. HOLLY and M. O. SAVAGE
- 123 **Letter to the Editors**
- 125 **Book reviews**
- 129 **Notices**

Volume 39, Number 2, August 1993

- 131 **Review** The cellular and molecular basis of the ectopic ACTH syndrome: A. WHITE and A. J. L. CLARK
- 143 **Current therapy** The treatment of women with hirsutism: W. JEFFCOATE
- 151 17-Hydroxyprogesterone response to buserelin testing in the polycystic ovary syndrome: Y. ŞAHİN and K. KELEŞTİMUR

- 157 The impact of a pure anti-androgen (flutamide) on LH, FSH, androgens and clinical status in idiopathic hirsutism: B. COUZINET, M. PHOLSENA, J. YOUNG and G. SCHAISON
 - 163 Circadian variation in serum free and non-SHBG-bound testosterone in normal men: measurements, and simulation using a mass action model: R. R. COOKE, J. E. A. MCINTOSH and R. P. MCINTOSH
 - 173 Molecular heterogeneity of serum follicle-stimulating hormone in hypogonadal patients before and during androgen replacement therapy and in normal men: I. A. HARSCH, M. SIMONI and E. NIESCHLAG
 - 181 Ovarian electrocauterization causes LH-regulated but not insulin-regulated endocrine changes: A. TIITINEN, A. TENHUNEN and M. SEPPÄLÄ
 - 185 Evening administration of melatonin enhances the pulsatile secretion of prolactin but not of LH and TSH in normally cycling women: M. TERZOLO, A. REVELLI, D. GUIDETTI, A. PIOVESAN, P. CASSONI, P. PACCOTTI, A. ANGELI and M. MASSOBRIO
 - 193 Melatonin stimulates growth hormone secretion through pathways other than the growth hormone-releasing hormone: R. VALCAVI, M. ZINI, G. J. MAESTRONI, A. CONTI and I. PORTIOLI
 - 201 Urinary growth hormone excretion in the assessment of children with disorders of growth: A. M. SKINNER, P. E. CLAYTON, D. A. PRICE, G. M. ADDISON and A. SOO
 - 207 In-vitro response of erythroid progenitors from children with thalassaemia major to human growth hormone and insulin-like growth factor I: S. MERCHAV, Z. GRAIF and A. SKOTTNER
 - 213 Enhanced prolactin responsiveness to galanin in patients with Cushing's disease: C. INVITTI, F. P. GIRALDI, A. TAGLIAFERRI, M. SCACCHI, A. DUBINI and F. CAVAGNINI
 - 217 Protein intake during aggressive calorie restriction in obesity determines growth hormone response to growth hormone-releasing hormone after weight loss: A. MEGIA, L. HERRANZ, R. LUNA, C. GÓMEZ-CANDELA, F. PALLARDO and P. GONZALEZ-GANCEDO
 - 221 Deficient inactivation of cortisol by 11β -hydroxysteroid dehydrogenase in essential hypertension: B. R. WALKER, P. M. STEWART, C. H. L. SHACKLETON, P. L. PADFIELD and C. R. W. EDWARDS
 - 229 The combined use of intravenous and oral calcium for the treatment of vitamin D dependent rickets type II (VDDRII): A. AL-AQEEL, P. OZAND, S. SOBKI, W. SEWAIRI and S. MARX
 - 239 **Case of the Month** A case of antibody formation against octreotide visualized with ^{111}In -octreotide scintigraphy: D. J. KWEKKKEBOOM, J. ASSIES, L. J. HOFLAND, J. C. REUBI, S. W. J. LAMBERTS and E. P. KRENNING
 - 244 **Commentary:** H. ØRSKOV
 - 245 **Case report** Deoxycorticosterone, 11β -hydroxylase and the adrenal cortex: H. A. SPOUDEAS, J. D. H. SLATER, G. RUMSBY, J. W. HONOUR and C. G. D. BROOK
 - 253 **Case report** Thyrotoxicosis increases right to left shunt in congenital cyanotic heart disease: S. M. ORME, J. P. SEBASTIAN, M. D. PAGE, C. COWAN and P. E. BELCHETZ
 - 257 **Notices**
- Volume 39, Number 3, September 1993
- 259 **Review** Endothelins as regulators of growth and function in endocrine tissues: R. L. KENNEDY, W. G. HAYNES and D. J. WEBB
 - 267 **Commentary** Thyrotrophin receptor expression: does it help in assessing the prognosis of thyroid cancer?: M. C. SHEPPARD
 - 269 Expression of thyrotrophin receptor gene in thyroid carcinoma is associated with a good prognosis: YUFEI SHI, MINJING ZOU and N. R. FARID
 - 275 The importance of thyroid microsomal antibodies in the development of elevated serum TSH in middle-aged women: associations with serum lipids: K. W. GEUL, I. L. L. VAN SLUISVELD, D. E. GROBBEE, R. DOCTER, A. M. DE BRUYN, H. HOOYKAAS, J. P. VAN DER MERWE, A. M. VAN HEMERT, E. P. KRENNING, G. HENNEMANN and R. F. A. WEBER
 - 281 The effect of treatment with levothyroxine or iodine on thyroid size and thyroid growth stimulating immunoglobulins in endemic goitre patients: M. M. WILDERS-TRUSCHNIG, H. WARNKROB, G. LEB, W. LANGSTEGGER, O. EBER, A. TIRAN, H. DOBNIG, A. PASSATH, G. LANZER and H. A. DREXHAGE

- 287 Prospective study of the hypothalamic-pituitary axis in thalassaemic patients who developed secondary amenorrhoea: R. CHATTERJEE, M. KATZ, T. F. COX and J. B. PORTER
- 297 Adrenocorticotrophin and cortisol secretion in children after low dose cranial irradiation: E. C. CROWNE, W. H. B. WALLACE, S. GIBSON, C. M. MOORE, A. WHITE and S. M. SHALET
- 307 Comparison of computerized tomography and magnetic resonance imaging for the examination of the pituitary gland in patients with Cushing's disease: H. ESCOUROLLE, J. P. ABECASSIS, X. BERTAGNA, B. GUILHAUME, D. PARIENTE, P. DEROME, A. BONNIN and J. P. LUTON
- 315 Bilateral adrenalectomy: low mortality and morbidity in Cushing's disease: D. R. MCCANCE, C. F. J. RUSSELL, T. L. KENNEDY, D. R. HADDEN, L. KENNEDY and A. B. ATKINSON
- 323 The efficacy and tolerability of long-term cabergoline therapy in hyperprolactinaemic disorders: an open, uncontrolled, multicentre study: J. WEBSTER, G. PISCITELLI, A. POLLI, A. D'ALBERTON, L. FALSETTI, C. FERRARI, P. FIORETTI, G. GIORDANO, M. L'HERMITE, E. CICCARELLI, P. G. CROSIGNANI, L. DECECCO, R. FADINI, G. FAGLIA, C. FLAMIGNI, G. TAMBURRANO, I. ISMAIL and M. F. SCANLON
- 331 The short and long-term effects of octreotide on calcium homeostasis in patients with acromegaly: L. FREDSTORP, Y. PERNOW and S. WERNER
- 337 Metabolic clearance rate of biosynthetic growth hormone after endogenous growth hormone suppression with a somatostatin analogue in chronic renal failure patients and control subjects: R. V. G. GARCIA-MAYOR, A. J. PEREZ, A. GANDARA, A. ANDRADE, F. MALLO and F. F. CASANUEVA
- 345 Hyperactivity of the hypothalamo-pituitary-adrenal axis in obesity: a study of ACTH, AVP, β -lipotrophin and cortisol responses to insulin-induced hypoglycaemia: J. U. WEAVER, P. G. KOPELMAN, L. MCLOUGHLIN, M. L. FORSLING and A. GROSSMAN
- 351 The relationship of insulin insensitivity to menstrual pattern in women with hyperandrogenism and polycystic ovaries: S. ROBINSON, D. KIDDY, S. V. GELDING, D. WILLIS, R. NITHITHYANANTHAN, A. BUSH, D. G. JOHNSTON and S. FRANKS
- 357 The regulation of insulin-like growth factor binding protein (IGFBP)-I during prolonged fasting: A. M. COTTERILL, J. M. P. HOLLY and J. A. H. WASS
- 363 Response of sex hormone binding globulin and insulin-like growth factor binding protein-I to an oral glucose tolerance test in obese women with polycystic ovary syndrome before and after calorie restriction: D. HAMILTON-FAIRLEY, D. KIDDY, V. ANYAOKU, R. KOISTINEN, M. SEPPÄLÄ and S. FRANKS
- 369 Pharmacokinetic properties of the tocolytic agent [Mpa¹, D-Tyr(Et)², Thr⁴, Orn⁸]-oxytocin (antocin) in healthy volunteers: S. LUNDIN, A. BROEDERS and P. MELIN
- 375 **Case report** ACTH-independent Cushing's syndrome in pregnancy with spontaneous resolution after delivery: control of the hypercortisolism with metyrapone: C. F. CLOSE, M. C. MANN, J. F. WATTS and K. G. TAYLOR
- 381 **Case report** Isolated congenital ACTH deficiency: a cleavage enzyme defect?: S. S. NUSSEY, SHIU-CHING SOO, S. GIBSON, I. GOUT, A. WHITE, M. BAIN and A. P. JOHNSTONE
- 385 **Commentary** Isolated ACTH deficiency: enzyme defect or chimaeric enzyme?: J. W. FUNDER and A. I. SMITH
- 387 **Notices**

Volume 39, Number 4, October 1993

- 389 **Review** The effects of drugs on endocrine function: M. P. J. VANDERPUMP and W. M. G. TUNBRIDGE
- 399 **Invited Commentary** Pancreatic and islet transplantation for diabetes: D. A. PYKE
- 401 **Commentary** Growth hormone replacement in adults: What dose?: R. J. M. ROSS
- 403 Growth hormone dose regimens in adult GH deficiency: effects on biochemical growth markers and metabolic parameters: J. MØLLER, J. O. L. JØRGENSEN, T. LAUERSEN, J. FRYSTYK, R. W. NÆRAA, H. ØRSKOV and J. S. CHRISTIANSEN
- 409 Short and long-term effects of growth hormone treatment on bone turnover and bone mineral content in adult growth hormone-deficient males: M. VANDEWEGHE, P. TAELEMAN and J.-M. KAUFMAN
- 417 Carpal tunnel syndrome and gynaecomastia during growth hormone treatment of elderly men with low circulating IGF-I concentrations: L. COHN, A. G. FELLER, M. W. DRAPER, I. W. RUDMAN and D. RUDMAN

- 427 Plasma IGFBP-3 and its relationship with quantitative growth hormone secretion in short children: M. PHILLIP, S. A. CHALEW, A. A. KOWARSKI and M. A. STONE
- 433 Pituitary adenomas with high and low basal inositol phospholipid turnover; the stimulatory effect of kinins and an association with interleukin-6 secretion: T. H. JONES, R. L. KENNEDY, S. K. JUSTICE and A. PRICE
- 441 The relationship between cortisol production rate and serial serum cortisol estimation in patients on medical therapy for Cushing's syndrome: P. J. TRAINER, C. EASTMENT, A. B. GROSSMAN, M. J. WHEELER, L. PERRY and G. M. BESSER
- 445 Discrimination between β -endorphin and β -lipotrophin in human plasma using two-site immunoradiometric assays: S. GIBSON, S. R. CROSBY and A. WHITE
- 455 Thyroid dysfunction in African trypanosomiasis: a possible role for inflammatory cytokines: M. REINCKE, B. ALLOLIO, F. PETZKE, C. HEPPNER, D. MBULAMBERI, D. VOLLMER, W. WINKELMANN and G. P. CHROUSOS
- 463 Response of plasma low density lipoprotein subfractions to oestrogen replacement therapy following surgical menopause: B. GRIFFIN, E. FARISH, D. WALSH, J. BARNES, M. CASLAKE, J. SHEPHERD and D. HART
- 469 The determination of delta-5-androstenediol and its sulphate in serum and urine by gas chromatography-mass spectrometry: L. D. DIKKESCHEI, B. G. WOLTERS, P. H. B. WILLEMSE, H. VAN DER POL, A. W. DE RUYTER-BUITENHUIS and G. T. NAGEL
- 475 Delta-5-androstenediol and its sulphate in serum and urine of normal adults and patients with endocrine diseases: L. D. DIKKESCHEI, P. H. B. WILLEMSE, B. G. WOLTERS, A. W. DE RUYTER-BUITENHUIS and G. T. NAGEL
- 483 Combined 17 α -hydroxylase/17,20-lyase deficiency caused by heterozygous stop codons in the cytochrome P450 17 α -hydroxylase gene: G. RUMSBY, C. SKINNER, H. A. LEE and J. W. HONOUR
- 487 Pregnancy associated osteoporosis: F. DUNNE, B. WALTERS, T. MARSHALL and D. A. HEATH
- 491 **Case report** Direct in-vivo detection of atypical hormonal expression of a Sertoli-Leydig cell tumour following stimulation with human chorionic gonadotrophin: I. COHEN, M. SHAPIRA, S. CUPERMAN, S. GOLDBERGER, A. SIEGAL, M. ALTARAS and Y. BEYTH
- 497 **Notices**
- Volume 39, Number 5, November 1993
- 499 **Review** The sick euthyroid syndrome: changes in thyroid hormone serum parameters and hormone metabolism: R. DOCTER, E. P. KRENNING, M. DE JONG and G. HENNEMANN
- 519 **Commentary** Thyroid hormone therapy and the skeleton: J. E. COMPSTON
- 521 Bone mineral density in patients with endogenous subclinical hyperthyroidism: Is this thyroid status a risk factor for osteoporosis?: J. FÖLDES, G. TARJÁN, M. SZATHMARI, F. VARGA, I. KRASNAI and CS. HORVATH
- 529 Suppressed TSH levels secondary to thyroxine replacement therapy are not associated with osteoporosis: D. J. GRANT, M. E. T. MCMURDO, P. A. MOLE, C. R. PATERSON and R. R. DAVIES
- 535 Thyroxine suppressive therapy decreases bone mineral density in post-menopausal women: A. W. C. KUNG, T. LORENTZ and S. C. F. TAM
- 541 A long-term follow-up study of patients with non-toxic goitre in Japan: T. HARA, H. TAMAI, T. MUKUTA, S. FUKATA, K. KUMA and T. NAKAGAWA
- 547 **Commentary** Variable androgen sensitivity in relationship to hirsutism and acne: T. J. MCKENNA
- 551 Two different pathogenetic mechanisms may play a role in acne and in hirsutism: V. TOSCANO, R. BALDUCCI, P. BIANCHI, R. GUGLIELMI, A. MANGIANTINI, F. G. ROSSI, L. M. COLONNA and F. SCIARRA
- 557 Plasma 19-hydroxyandrostenedione is elevated in patients with high renin essential hypertension: N. SEKIHARA, K. YONEMITSU and Y. YAZAKI
- 561 Effects of different oral oestrogen formulations on insulin-like growth factor-I, growth hormone and growth hormone binding protein in post-menopausal women: J. J. KELLY, I. A. RAJKOVIC, A. J. O'SULLIVAN, C. SERNIA and K. K. Y. HO
- 569 Effect of oestrogen status on serum levels of growth hormone-binding protein and insulin-like growth factor I in non-pregnant women: G. MASSA, A. IGOUT, L. ROMBAUTS, F. FRANKENNE and M. VANDERSCHUEREN-LODEWEYCKX
- 577 Impact of 2 weeks high dose growth hormone treatment on basal and insulin stimulated substrate metabolism in humans: N. MØLLER, J. MØLLER, J. O. L. JØRGENSEN, P. OVESEN, O. SCHMITZ, K. G. M. M. ALBERT and J. S. CHRISTIANSEN

- 583 Insulin-like growth factor-I blood levels in severely burned patients: effects of time post injury, age of patient and severity of burn: T. ABRIBAT, P. BRAZEAU, I. DAVIGNON and D. R. GARREL
- 591 Leucine metabolism in patients with Cushing's syndrome before and after successful treatment: S. B. BOWES, J. J. BENN, I. N. SCOBIE, A. M. UMPLEBY, C. LOWY and P. H. SÖNKSEN
- 599 Abnormal twenty-four hour pattern of pulsatile luteinizing hormone secretion and the response to naloxone in women with hyperprolactinaemic amenorrhoea: C. C. K. TAY, A. F. GLASIER, P. J. ILLINGWORTH and D. T. BAIRD
- 607 Growth hormone treatment affects plasma LH pulsatile release in women with secondary amenorrhoea: A. D. GENAZZANI, F. PETRAGLIA, C. VOLPOGNI, F. PIANAZZI, V. MONTANINI, G. D'AMBROGIO and A. R. GENAZZANI
- 613 **Case report** Necrosis of a pheochromocytoma associated with spontaneous remission of diabetes and hypertension: L. ZANIN, G-P. ROSSI, A. POLETTI, A. PIOTTO, M. CHIESURA-CORONA and A. C. PESSINA
- 619 **Case report** Tissue-specific modulation of insulin receptor mRNA levels in a patient with a pheochromocytoma: M. A. LEAL, P. ALLER, A. TORRES, A. PICARDO and C. CALLE
- 657 Reversibility of thyroid dysfunction induced by recombinant alpha interferon in chronic hepatitis C: E. BAUDIN, P. MARCELLIN, M. POUTEAU, N. COLAS-LINHART, J-P. LE FLOCH, C. LEMMONIER, J-P. BENHAMOU and B. BOK
- 663 Tissue resistance to 1,25-dihydroxyvitamin D without a mutation of the vitamin D receptor gene: M. HEWISON, A. R. RUT, K. KRISTJANSSON, R. E. WALKER, M. J. DILLON, M. R. HUGHES and J. L. H. O'RIORDAN
- 671 The effect of morphine and naloxone administration on maternal oxytocin concentration in late pregnancy: S. W. LINDOW, Z. M. VAN DER SPUY, M. S. HENDRICKS, F. A. NUGENT and T. T. DUNNE
- 677 Recombinant human growth hormone therapy does not increase microalbuminuria in children with short stature: D. LEVINE, P. KREITZER, S. FREEDMAN and H. TRACHTMAN
- 681 Preliminary observations using endocrine markers of pituitary venous dilution during bilateral simultaneous inferior petrosal sinus catheterization in Cushing's syndrome: Is combined CRF and TRH stimulation of value?: P. G. MCNALLY, A. BOLIA, S. R. ABSALOM, J. FALCONER-SMITH and T. A. HOWLETT
- 687 Modulation of IGF-I receptors by exogenous hGH treatment in constitutionally short children: R. ESHET, B. KLINGER, A. SILBERGELD and Z. LARON
- 695 **Case of the Month** Hypercalcaemia due to parathyroid hormone-related protein: long-term circulating levels may not reflect tumour activity: M. W. SAVAGE, W. D. FRASER, C. W. BODMER, A. F. GINTY, J. A. GALLAGHER, J. ROBINSON and G. WILLIAMS
- 699 **Commentary** E. B. MAWER
- 701 **Letters to the Editors**
- 705 **Book reviews**
- 707 **Notices**
- 708 **Referees**
- 709 **Author index**
- 717 **Subject index**
- Volume 39, Number 6, December 1993**
- 623 **Review** Clinical implications of hyperinsulinaemia in women: G. S. CONWAY and H. S. JACOBS
- 633 Differences in testosterone metabolism by beard and scalp hair follicle dermal papilla cells: M. J. THORNTON, I. LAING, K. HAMADA, A. G. MESSENGER and V. A. RANDALL
- 641 Alternate-day GnRH therapy for ovarian hyperfunction induced by weight loss: treatment of six patients who remained amenorrhoeic after weight gain: F. KOTSUJI, M. KUBO, Y. TAKEUCHI and T. TOMINAGA
- 649 Effects of norethisterone on bone related biochemical variables and forearm bone mineral in post-menopausal osteoporosis: M. HOROWITZ, J. M. WISHART, A. G. NEED, H. A. MORRIS and B. E. C. NORDIN